

# RM3443ADS

## Interactive kiosk



### ★ FEATURES

- Easy and quick folding way
- Screen protection with tampered glass
- Secure with key lock
- Casters at the bottom of the bracket for easy movement
- High-definition image quality to bring your message to a vivid color



# RM3443ADS

Interactive kiosk



Standard 43 inch screen size



All metal construction, safe and durable



Screen protection with armorplate glass



An antenna gets better signal



Secure with key lock ,plug and play with 2 USB interface



Two castors for movement, another feet for standing



Simple for folding, easy for transportation



High-definition image quality to bring your message to a vivid color



# RM3443ADS

## Interactive kiosk



### SPECIFICATION

<b>OS Support</b>	Android 6.0 and higher version		<b>CPU</b>	A83T Cortex-A7 octa-core 2.0GHz
			<b>System Memory</b>	1G/2G
			<b>Disk</b>	8G/16G/32G/64G
			<b>Speaker</b>	5W*2
			<b>Interface</b>	USB*2/RJ45*1
			<b>Network</b>	Ethernet/WIFI
<b>LCD</b>	<b>Type</b>	TFT-LCD	<b>Contrast Ratio</b>	1100:01:00
	<b>Screen size</b>	43"	<b>Response Time</b>	12ms
	<b>Max Resolution</b>	1920×1080	<b>Viewing Angle</b>	H178° V178°
	<b>Aspect Ratio</b>	16:09	<b>Display Colors</b>	16.7M
	<b>Brightness</b>	450cd/m <sup>2</sup>	<b>Refresh Rate</b>	60Hz
	<b>Panel Life</b>	50000 hours		
<b>Power</b>	<b>Voltage</b>	100-240VAC,50/60Hz	<b>100-240VAC,50/60Hz</b>	<75W
<b>Enclosure</b>	<b>Material</b>	SPCC		
	<b>Surface</b>	Powder coated		
	<b>Overall Size</b>	L600×W90×H1408		
	<b>Package</b>	L1535×W240×H410		
	<b>Net Weight</b>	28kg		
	<b>Gross Weight</b>	54kg		
<b>Application</b>	<b>Working temperature</b>	0~40°C	<b>Storage temperature</b>	-20~60°C
	<b>Working humidity</b>	20%~80%	<b>Storage humidity</b>	10%~90%
	<b>Application</b>	indoor		